



2015

5
YEAR
WARRANTY



Verte model D7, Perfect Veneer, Oak California



Door collections to apartments



NOVELTIES



MODEL E5, P. 18



MODEL F5, P. 18

left or right?
no problem

SMART
SMART



NON-REBATED UNIVERSAL
DOOR FRAME **SMART**, P. 35



MDF DOOR FRAME
FOR FORES DOOR LEAF P. 29



Detailed terms and conditions
for VERTE doors available at:
www.vertedoors.eu/5year.pdf

excluding Verte BASIC

CONTENTS

VERTE BASIC, VERTE BASIC PLUS	8	NOVELTY
COLLECTION A	10	SUPER PRICE
COLLECTION B	12	SUPER PRICE
COLLECTION C	14	SUPER PRICE
COLLECTION D	16	SUPER PRICE
COLLECTION E, F	18	NEW MODELS
MODERN	20	NOW MODELS
OPTIMA	22	
WALL SYSTEM FOR SLIDING DOORS	24	
IN-WALL SYSTEM FOR SLIDING DOOR	26	
FORES BASIC – REINFORCED, ACOUSTIC	28	NOVELTY
VERTE STRONGER – ANTI-BURGLARY, ACOUSTIC	30	NOVELTY
DOOR LEAVES CONSTRUCTION	32	
UNIVERSAL NON-REBATED DOOR FRAME “SMART”	35	NOVELTY
FIXED DOOR FRAME	36	
ADJUSTABLE DOOR FRAME	37	
ACCESSORIES	38	
DOOR ASSEMBLY DIMENSIONS	40	
COLOR SAMPLES	43	

SIMPLIFIED PRODUCT DATA SYSTEMISATION IN THE FORM OF ICON



Available **sizes** of
single-leaf doors



Available **sizes** of
double-leaf doors



Sliding door leaf



Rebated doors



Non-rebated doors



Mechanical strength class
class 1–4
Resistance to loads depending on the
conditions of use



Burglar-proofness
class 2, class 3, class C
Resistance of the door to
unauthorized opening



Acoustic Insulation
Rw 27 dB D,25, Rw 32 dB D,30,
Rw 37 dB D,35, Rw 42 dB D,40
Specifies the number of decibels the
door is able to isolate




Smoke-proofness
Sa, Sm class
Specifies smoke control
class of the doors

HOW TO MATCH DOORS TO THE STYLE OF THE INTERIOR?

MATCHING THE DOORS TO THE STYLE OF THE INTERIOR SEEMS LIKE QUITE A CHALLENGE.


WHAT CRITERIA TO CONSIDER WHEN CHOOSING THE RIGHT DOOR FOR YOU?

Below you will find some solutions,
which will give your living space
a unified character
and turn door selection into a joyful activity.




BY SKIRTING BOARDS

Look at the color, height, finish, and style of the boards and choose the right doors for you.



BY DETAILS

Details make up the character of your apartment. Use them as a reference when choosing door accessories.




BY FLOOR COLOR

Floor is an important part of your interior's decoration. Match the doors to the color of your floor or go the opposite way and decide for a contrasting color scheme.




BY STYLE

Each apartment can have its own style. Match the doors accordingly.



BY LIGHTING

A room with no daylight access can be lighted up thanks to glass paned doors.



BY FURNITURE COLOR

Furniture gives room its individual character and doors are a part of it. Match the door's color and structure to it.

FRAME-AND-PANEL DOOR LEAVES

ROBUST CONSTRUCTION



INNOVATIVE SOLUTIONS

construction panels veneered along the perimeter; edges protected against moisture



RELIABLE OPERATION

3 pintle hinges - standard offer




ATTENTION TO DETAIL

no glazing seals



SAFETY

matte tempered glass panel




SOLIDITY

frame-and-panel construction


VARIOUS WALL THICKNESSES? IT'S NOT A PROBLEM!



BASIC RANGE
95 – 110 mm



RANGE A
95 – 210 mm



RANGE B
95 – 310 mm

left or right?
no problem




CLOSED DOOR




OPEN DOOR

BASIC PACKAGE AND EXTENDED PANELS


5
YEAR
WARRANTY



BASIC RANGE
95 – 110 mm




RANGE A
95 – 210 mm




RANGE B
95 – 310 mm

NON-REBATED DOORS IN SMART SYSTEM




Universal door leaf SMART LEFT / RIGHT
Available sizes "60" – "100"



Universal door frame SMART LEFT / RIGHT
In version for wall thickness "95" – "310"*



I PURCHASE
1SET



LEFT door leaf



LEFT door frame



RIGHT door leaf



RIGHT door frame



I ASSEMBLY IN
2 OPTIONS



LEFT doors

left or right?
no problem



RIGHT doors




I HAVE
A CHOICE

VERTE BASIC, VERTE BASIC PLUS



LARGE LIGHT AND NARROW LIGHT MODEL, OAK MONACO 3



FULL



NARROW LIGHT



LARGE LIGHT



LIFT

LACQUERED BOARD (VERTE BASIC)



LACQUERED BOARD (VERTE BASIC PLUS)



MODERN PROFILE OF FRAME
VERTE BASIC PLUS



CLASSIC PROFILE OF FRAME
VERTE BASIC



TRIO



BATHROOM



SASH

COLLECTION A



MODEL A8, DUR VENEER, WALNUT 4

5
YEAR
WARRANTY



MODEL A0



MODEL A1



MODEL A2




MODEL A3


DECOR VENEER



DUR VENEER




CORTEX VENEER



SYNCHRO 3D VENEER

TRENDS 2015



PERFECT 3D VENEER

TRENDS 2015



SUPER MATT VENEER



FLAT PANEL



MATTE TEMPERED GLASS PANEL



watch the video:
www.vertedrzwi.eu/technologie.mp4



MODEL A4



MODEL A5



MODEL A6



MODEL A8

COLLECTION B



MODEL B3, DUR VENEER, WALNUT 3

5
YEAR
WARRANTY



MODEL B0



MODEL B1



MODEL B2




MODEL B3


DECOR VENEER



DUR VENEER




CORTEX VENEER



SYNCHRO 3D VENEER

TRENDS 2015




SYNCHRO 3D VENEER

PERFECT 3D VENEER

TRENDS 2015

SUPER MATT VENEER



DEDICATED GLASS PANEL



watch the video:
www.vertedrzwi.eu/technologie.mp4



MODEL B4



MODEL B5



MODEL B6



MODEL B7

**SUPER
PRICE!**



MODEL C5, PERFECT 3D VENEER, OAK HAVANA

5
YEAR
WARRANTY



MODEL C0



MODEL C1



MODEL C2




MODEL C3


DECOR VENEER



DUR VENEER




CORTEX VENEER



SYNCHRO 3D VENEER

TRENDS 2015



PERFECT 3D VENEER

TRENDS 2015



SUPER MATT VENEER



PANEL CONSTRUCTION



MATTE TEMPERED GLASS PANEL



watch the video:
www.vertedrzwi.eu/technologie.mp4



MODEL C4



MODEL C5

COLLECTION D

**SUPER
PRICE!**



MODEL D7, DUR VENEER, WALNUT 4

5
YEAR
WARRANTY



MODEL D0



MODEL D1



MODEL D2




MODEL D3


DECOR VENEER



DUR VENEER



CORTEX VENEER



SYNCHRO 3D VENEER

TRENDS 2015



PERFECT 3D VENEER

TRENDS 2015

SUPER MATT VENEER



PERFECT 3D VENEER – HAPTIC EFFECT**



MATTE TEMPERED GLASS PANEL



watch the video:
www.vertedrzwi.eu/technologie.mp4



MODEL D4



MODEL D5



MODEL D6



MODEL D7

** Veneer with the woodlike structure effect

COLLECTION E, F

**NEW
POSSIBILITIES**



MODEL F5, PERFECT 3D VENEER, OAK MALIBU

5
YEAR
WARRANTY



MODEL E0



MODEL E1



MODEL E2




MODEL E3


DECOR VENEER



DUR VENEER



CORTEX VENEER



SYNCHRO 3D VENEER

TRENDS 2015



PERFECT 3D VENEER

TRENDS 2015



SUPER MATT VENEER



MINIMALIST FORM



MODEL E5 GLAZING



watch the video:
www.vertedrzwi.eu/technologie.mp4



MODEL E4



MODEL E5



MODEL F5

MODERN



MODEL 3.1, 3.4, DECOR VENEER, WALNUT VERONA 2

5
YEAR
WARRANTY



MODEL 1.2



MODEL 2.7



MODEL 3.4



MODEL 4.4

DECOR VENEER



SYNCHRO 3D VENEER

TRENDS 2015



ALUMINIUM MARQUETRY, MODEL 1.2



MATTE TEMPERED GLASS PANEL



MODEL 5.5



MODEL 6.0



MODEL 6.1



MODEL 6.2



MODEL B0, B1, DECOR VENEER, WHITE

5
YEAR
WARRANTY



MODEL A0



MODEL A1



MODEL A2



MODEL A3

DECOR VENEER



SYNCHRO 3D VENEER

TRENDS 2015



UNIQUE DESIGN



MATTE TEMPERED GLASS PANEL



MODEL B0



MODEL B1




MODEL B2

WALL SYSTEM FOR SLIDING DOORS




MODEL B5, DECOR VENEER, WHITE WALNUT, WALNUT




DECOR VENEER



DUR VENEER




CORTX VENEER



SYNCHRO 3D VENEER

TRENDS 2015



PERFECT 3D VENEER

TRENDS 2015



SUPER MATT VENEER

VERTE WALL SYSTEM FOR SLIDING DOORS

A complete wall¹ mounted sliding door consists of the following:

- wall mounted system
- sliding door leaf²
- "tunnel" type door frame for the sliding system²

CONSTRUCTION

Wall system for sliding doors consist of:

- masking beam and fender beam made of chipboard and MDF
- rail with trolleys, complete with a shield
- sliding system is manufactured and delivered in the form of a set of elements to be assembled on the site

FINISHING

A masking beam and fender beam are veneered with VERTE veneers (Decor, Dur, Cortx, Synchro 3D, Perfect 3D, Super Matt).

ACCESSORIES


- rail with trolleys
- self - adhesive brush seal
- leaf guide (to be fitted to the floor)
- hock lock strike (option)

DIMENSIONS

- single doors: "60", "70", "80", "90", "100"

NOTES

- The sliding door system should be fitted in the rooms with finished wall (wallpaper, painting, glazing) and floors (parquet, lining, terracotta etc.).
- ¹ This is a universal two-sided system. In order to change the direction of door opening it is enough to install the fender beam on the left or right side of the "tunnel" type door frame, as needed.
- ² Not included in the price.



SIDE HANDLE



ANTI-DUST BRUSH

ROUNDED FINGER HANDLE

IN-WALL SYSTEM FOR SLIDING DOORS



MODEL D7, DECOR VENEER, WHITE



CASING WITH RAIL AND TROLLEYS


SLIDING DOOR LEAF*

DOOR FRAME FOR IN-WALL SLIDING SYSTEM


DECOR VENEER



DUR VENEER




CORTX VENEER



SYNCHRO 3D VENEER

TRENDS 2015



PERFECT 3D VENEER

TRENDS 2015



SUPER MATT VENEER

VERTE IN-WALL SLIDING DOOR SYSTEM

A complete in-wall sliding door system consists of:

- VERTE in-wall mounted system¹
- sliding door leaf²

CONSTRUCTION

VERTE in-wall sliding door system consists of the following:

- in-wall mounted casing complete with rail and trolleys
- door frame made of chipboard and MDF

FINISHING

- door frame is veneered with VERTE veneers (Decor, Dur, Cortex, Synchro 3D, Perfect 3D, Super Matt)
- casing and rail are made of galvanized sheet steel, rail is made of aluminium
- trolleys and steel mounting screw

ACCESSORIES


- construction casing
- rail with trolleys
- self-adhesive brush seal
- leaf guide (to be fitted to the floor)
- door frame
- fasteners
- hook lock strike (option).

DIMENSIONS

- single door: "60", "70", "80", "90", "100"
- double doors: "60+60", "70+70", "80+80", "90+90", "100+100"

NOTES

- The sliding door system should be fitted in the rooms with finished walls (wallpaper, painting, glazing) and floors (parquet, lining, terracotta etc.).
- Sliding system is manufactured and delivered to the customer as a set of elements to be assembled on the site.
- **Casing size "70", "80", "90", available directly from the manufacturer.**
- ¹ The system is ready for assembling in an opening of a 125 mm thick gypsum board wall.
- ² Not included in the price.



SIDE HANDLE

ANTI-DUST BRUSH

HOOK LOCK

FORES **BASIC**

ACOUSTIC 32 dB*; ANTI-BURGLARY CLASS 2 LOCK



MODEL 3, NOUGAT CHERRY, MDF DOOR FRAME



FULL



MODEL 1



MODEL 3



MODEL 4

* Detailed results of the examination are available at: www.vertedrzwi.eu/wynikibadan.pdf

HIGH QUALITY PVC VENEER



TWO ANTI-BURGLARY CLASS 2 LOCKS



HIGH QUALITY STAINLESS STEEL THRESHOLD PROFILE
AS A SET WITH METAL DOOR FRAME (FREE OF CHARGE)

A set consists of:
door leaf + metal door frame (threshold free of charge) + viewfinder (optional),
door leaf + MDF door frame + threshold + viewfinder (optional)


METAL ANGLE-BAR DOOR FRAME



MDF DOOR FRAME




MODEL 5




MODEL 6

EXAMPLES OF METAL DOOR FRAME ASSEMBLY




assembly without additional
anchoring elements



assembly with dowel bars

VERTE STRONGER

ANTI-BURGLARY CLASS C, 3 ENV; ACOUSTIC 36 dB*



MODEL FULL, CPL HQ VENEER, MAHOGANY

5
YEAR
WARRANTY



FULL



MODEL 2



MODEL 3



MODEL 4

* Detailed results of the examination are available at: www.vertedrzwi.eu/wynikibadan.pdf

HIGH QUALITY PVC VENEER



A set consists of:
door leaf + door frame + stainless steel threshold + handle
with plate and upper plate + 2 cylinders of class C


HIGH QUALITY CPL VENEER (FULL)



FOUR-BOLT STRIP LOCK WITH CLASS C CERTIFICATE



Special door design allows for easy
installation with mounting plugs and foam.
This eliminates the risk of contamination
with concrete.
watch the video:
www.vertedrzwi.eu/latwymontaz.mp4



SECURITY CLASS: C AND 3 ENV



MODEL 6



MODEL 7



MODEL 8



MODEL 9

DOOR LEAVES CONSTRUCTION

VERTE BASIC, VERTE BASIC PLUS

DOOR LEAF CONSTRUCTION

The core of the door leaf is a honeycomb insert. The frame with core are covered on both sides with HDF boards. Both side edges and the upper edge of the leaf covered with leaf-colored skirting tape.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- two pintle hinges as standard
- three hinges in a door leaf – size "100"
- lock: regular key, bathroom lock or adapted for door lock cylinder
- glass panel pattern: 'chinchilla'

DIMENSIONS

- single "60", "70", "80", "90", "100"
- double doors "120" – "200"

NOTES

- Technical Approval AT-15-3691/2012 Warszawa
- installation of a door frame should be carried out in rooms with completed walls (e.g. wallpapers) and floors (parquet flooring)

VERTE A–F

DOOR LEAF CONSTRUCTION

Rebated or non-rebated frame and panel leaves. Construction frames and filling panels made of MDF. 4 mm thick matte tempered pane, depending on the model. Construction frames veneered along the perimeter; edges protected against moisture; upper frame printed using Touchwood method.

The models are made as seal-less versions except for E collection and DUR finished models.

The unique design of SMART non-rebated leaves allows their universal assembly (right or left).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- 72 x 55 mm lock for regular key, bathroom lock or adapted for door lock cylinder, no opening drilled for the key
- 3 standard pintle hinges
- possibility of shortening¹

DIMENSIONS

- single door "60"², "70", "80", "90", "100"³
- double doors "120" – "200"

NOTES

- Technical Approval AT-15-6515/2009, ITB Warszawa
- possibility of matching door leaves of different sizes in double doors
- non-rebated door leaves fit only for SMART system; see dedicated door frame

¹ Maximum 30 mm

² Dimension "60" of Model E2 is not available

³ Dimension "100" of F group models are not available

MODERN, OPTIMA

DOOR LEAF CONSTRUCTION

Rebated or non-rebated flat door leaves. Door frame is made of coniferous timber glulam or MDF. 4 mm thick matte tempered pane, depending on the model.

Stabilizing core of "honeycomb" type. Sides and upper edge of the door leaf is covered with skirting tape of the same colour. The unique design of SMART non-rebated door leaves allows their universal assembly (right or left).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- 72 x 55 mm lock for regular key, bathroom lock or adapted for door lock cylinder, no opening drilled for the key
- 3 standard pintle hinges

DIMENSIONS

- single door "60", "70", "80", "90"
- double doors "120" – "180"

NOTES

- Technical Approval AT-15-3691/2012, ITB Warszawa
- possibility of matching door leaves of different sizes in double doors
- non-rebated door leaves fit only for SMART system; see dedicated door frame

DOOR LEAVES CONSTRUCTION

FORES BASIC

DOOR LEAF CONSTRUCTION

Door leaf frame is made of coniferous timber glulam. The leaf core is a special structure based on whole and perforated chipboard reinforced with steel bars. The door leaf has sheathing made of special two-layer HDF panel.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- metal door frame
- stainless steel threshold (90 mm)
- 3 heavy duty pintle hinges
- anti-burglary pins
- viewfinder (optional)
- two inserts

DIMENSIONS

- single door "80", "90", "100"

DOOR FRAME

Angle-bar metal door frame, with 80 mm wide profile, made of 1.2 mm thick sheet steel galvanized on both sides, powder coated in WHITE (RAL 9016), GREY (RAL 7047), CREAM (RAL 1001), BROWN (RAL 8028), ANTHRACITE with structure (RAL 7024). The door frame is available for installation at the following levels: "0" and "-30" (to be cemented in the floor).

NOTES

- Technical Approval AT-15-4997/2011, ITB Warszawa
- * 32 dB - parameter only for admittance for particular use

VERTE STRONGER

DOOR LEAF CONSTRUCTION

Door frame is made of coniferous timber glulam. The leaf core is a special structure based on chipboard reinforced with steel bars. The door leaf has sheathing made of special two-layer panel of aluminium sheet and hDf.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- metal door frame
- stainless door threshold (90 mm)
- 3 heavy duty pintle hinges
- anti-burglary pins
- viewfinder (optional)
- handle with plate and upper plate (silver)
- four-bolt strip lock with class C certificate
- 2 cylinders of class C (including doorknob)

DIMENSIONS

- single door "80", "90", "100"


DOOR FRAME

Angle-bar metal door frame, with 100 mm wide profile, made of 1.5 mm thick sheet steel galvanized on both sides, powder coated in WHITE (RAL 9016), GREY (RAL 7047), CREAM (RAL 1001), BROWN (RAL 8028), ANTHRACITE with structure (RAL 7024). The door frame is available for installation at the following levels: "0" and "-30" (to be cemented in the floor).


NOTES

- Technical Approval AT-15-6043/2011, ITB Warszawa
- accessories (fittings, threshold) packed with the door frame
- a self-closer must be used with the smoke resistant doors to comply with the Building Code

DOOR LEAVES CROSS-SECTIONS




VERTE BASIC AND BASIC PLUS,
MODERN, OPTIMA




VERTE



watch the video:
www.vertedrzwi.eu/technologie.mp4



FORES BASIC



VERTE STRONGER

YOU MAY ALWAYS CHOOSE!


NON-REBATED DOOR LEAF FOR UNIVERSAL DOOR FRAME ("SMART" SYSTEM)*

left or right?
no problem

VERTÉ
SMART®



NON-REBATED DOOR LEAF FOR UNIVERSAL
DOOR FRAME
("SMART" SYSTEM)



ASSEMBLY OF MATTE PANE
(RIGHT DOOR LEAF – MATTE SURFACE
ON THE ONLOOKER SIDE)

for more details see p. 35,
or www.vertedrwi.eu/smart

REBATED DOOR LEAF FOR FIXED OR ADJUSTABLE DOOR FRAME, see p. 36-37



FIX DOOR FRAME



ADJUSTABLE DOOR FRAME

UNIVERSAL NON-REBATED DOOR FRAME SMART

NON-REBATED DOOR FRAME CONSTRUCTION

DOOR FRAME consists of:

- construction frames made of MDF, foiled and equipped with necessary fittings and accessories
- door beam (80 mm wide), complete with auxiliary fixing beams, panels to extend A and B range (optional)

FINISHING

- beams, architraves and panels are foiled with the same veneer as door leaves¹ (Decor, Dur, Cortex, Super Matt, Synchro 3D, Perfect 3D)

ACCESSORIES

- adjustable lock strike
- 2D special adjustable hinges which allow smooth adjustment of gap at door leaf/frame contact plane (vertical)
- seal – colour matched to that of the veneer foil
- fasteners
- silver fittings

DIMENSIONS

- single door „60“, „70“, „80“, „90“, „100“

NOTES

- the door frame is manufactured and delivered to the Customer as a set of elements to be assembled on the site
- the door frame needs to be approved for individual application
- universal non-rebated "SMART" door frame is dedicated exclusively for VERTE collection non-rebated door leaves
- hinge seat designed for 2D hinge
- two hinges for "60" – "80" size
- three hinges for "90" – "100" size

5
YEAR
WARRANTY

left or right?
no problem

SMART[®]



UNIVERSAL
OPENING
DIRECTION
LEFT/RIGHT



UNIVERSAL
WALL WIDTH
RANGE:
95 – 310 mm*



DOOR FRAME CROSS-SECTION



SPECIAL 2D ADJUSTABLE HINGE



DEDICATED SMART NON-REBATED DOOR LEAF
LOCK WITH TURNING LARGE BOLT
(LEFT, RIGHT SIDE – UNIVERSAL)

For more details of the universal application of SMART door frame see:
www.vertedrzwi.eu/smart



ADJUST-
MENT



NON-
REBATED

* With widening panels A or B

FIXED DOOR FRAME

REBATED



FIXED DOOR FRAME CONSTRUCTION

DOOR FRAME consists of:

- construction frames made of MDF and provided with necessary fittings and accessories
- architraves (80 mm width) and quarter rounds
- the door frame is manufactured and delivered in the form of a set of elements
- to be assembled on the site

FINISHING

- door frame, architraves, quarter rounds are veneered with the same veneer as the leaves (Decor, Dur, Cortex, Super Matt, Synchro 3D, Perfect 3D)

ACCESSORIES

- lock strike
- 3 pintle hinges (frame side hinge part)
- seal – color matched to that of the door leaf
- 3 hinge pockets
- plastic holder to protect the frame underside against humidity
- fasteners

ADDITIONAL SOLUTIONS

- door frame for double doors equipped with 6 hinges (frame side parts) without lock strike

DIMENSIONS

- single doors: "60", "70", "80", "90", "100"
- double doors: any combination of the a/m dimensions
- to be installed in an opening of min. 100 mm thick wall

QUARTER ROUNDS


- dimensions: 12 x 22 mm, length: 2150 mm

ARCHITRAVES


- width – 60 mm (Verte Basic)
- width – 80 mm
- sharp edges
- cut at an angle of 90°
- dimensions: "90", "100", "100+100", "110+110"
- available options: a set for one side or single vertical architraves

NOTES


- Technical Approval 15-5664/2012, ITB Warszawa
- the door frame should be installed in the rooms with finished walls (wallpaper, painting, glazing) and floors (parquet, lining, terracotta etc.)



FIXED DOOR FRAME CROSS-SECTION



ADJUSTABLE DOOR FRAME REBATED



ADJUSTABLE DOOR FRAME CONSTRUCTION

DOOR FRAME consists of:

- construction frames made of chipboard and provided with necessary fittings and accessories
- set of 80 mm wide trims cut at an angle of 45°, door frame in natural veneer has a set of 60 mm wide architraves
- the door frame is manufactured and delivered in the form of a set of elements to be assembled on the site

FINISHING

- door frame and architraves are coated with the same veneer as the door leaves (Decor, Dur, Cortex, Super Matt, Synchro 3D, Perfect 3D)

ACCESSORIES

- lock strike
- 3 pintle hinges (frame side hinge part)
- seal – color matched to the door leaf color
- 3 hinge pockets
- fasteners

ADDITIONAL SOLUTIONS


- "tunnel" type door frame to be used as a cover for the wall where door leaf is not supposed to come, or as an element of the sliding door system; it is equipped neither with a seal nor with a lock strike and hinges
- combined door frame designed for large wall surfaces (up to 588 mm); it consists of a standard door frame and extra extension beam with a fastener
- adjustment panel – this option allows to extend the width of a standard door frame (max. 460 mm) using an additional MDF panel; the available widths of extension panels: 80 and 160 mm
- door frame for double doors equipped with 6 hinges (frame side parts) without lock strike

DIMENSIONS

- single door: "60", "70", "80", "90", "100"
- double doors: any combination of the a/m dimensions

NOTES

- Technical Aproval 15-5664/2012, ITB Warszawa
- the door frame should be installed in the rooms with finished walls (wallpaper, painting, glazing) and floors (parquet, lining, terracotta etc.)



ACCESSORIES

HANDLES


OFFICE standard cylinder bathroom lock

golden, golden matt, silver, silver matt



CARO standard cylinder bathroom lock

golden, golden matt, silver, silver matt




ACCENT standard cylinder bathroom lock

golden, silver, golden matt, silver matt



MODERN standard cylinder bathroom lock


golden, silver, golden matt, silver matt



TRENDS 2015 / 2016


ARRIS standard cylinder bathroom lock

golden, golden matt, silver, silver matt



NEXT standard cylinder bathroom lock

golden, golden matt, silver, silver matt



ACCESSORIES

VENTILATION



MATCHED TO THE COLOR OF DOOR LEAF



VENTILATION SLEEVE
1 row




VENTILATION GRILL

Ventilation is suitable for bathrooms pursuant to building law regulations



VENTILATION SLEEVE
2 rows



VENTILATION UNDERCUT

MASKING ARCHITRAVES



flat architraves


quarter rounds
(2,15 m x 12 mm x 22 mm)

ACCESSORIES TO VERTE STRONGER DOORS*



upper lock plate

handle class C



METAL THRESHOLD



wide-angle viewfinder
silver (optional - free of charge)

Handle, inserts of class C and threshold are packed with Verte STRONGER door frame

HINGES

STANDARD HINGES

golden, silver



SIDE HANDLES FOR SLIDING DOORS

ROUND SIDE HANDLE

golden gloss, silver gloss



ELONGATED SIDE HANDLE

golden gloss, silver gloss (set)





HOOK LOCK



golden, silver

ASSEMBLY DIMENSIONS OF DOORS



FIXED DOOR FRAME



ADJUSTABLE DOOR FRAME



VERTE SMART DOOR FRAME




TYPE OF DOOR FRAME	SIZE	S _s	H _s	D _s	S ₀	H ₀	O _s	O _w	S _b	H _b	S _z	H _z	T _{s/w}
FIXED DOOR FRAME	60	644	2030	40	710	2075	602	2016	690	2060	800	2115	+20 / +10
	70	744			810		702		790		900		
	80	844			910		802		890		1000		
	90	944			1010		902		990		1100		
	100	1044			1110		1002		1090		1200		
ADJUSTABLE DOOR FRAME	60	644	2030	40	680	2060	602	2016	646	2038	786/746*	2108/2088*	+20 / +10
	70	744			780		702		746		886/846*		
	80	844			880		802		846		986/946*		
	90	944			980		902		946		1086/1046*		
	100	1044			1080		1002		1046		1186/1146*		

TYPE OF DOOR FRAME	SIZE	S _s	H _s	D _s	S ₀	H ₀	O _s	O _w	S _b	H _b	S _z	H _z	T _{s/w}
Non-rebated universal door frame SMART	60	618	2017	40	710	2075	602	2016	682	2056	802	2116	+20 / +10
	70	718			810		702		782		902		
	80	818			910		802		882		1002		
	90	918			1010		902		982		1102		
	100	1018			1110		1002		1082		1202		


* for door frame for Verte BASIC doors.

ASSEMBLY DIMENSIONS OF DOORS

VERTE WALL SYSTEM FOR SLIDING DOORS



VERTE IN-WALL SYSTEM FOR SLIDING DOORS





SLIDING SYSTEM	SIZE	S_s	H_s	D_s	S_0	H_0	O_s	O_w	H_z	M_s	M_G	B_G	$T_{s/w}$
Wall system for sliding doors	60	644	2030	40	680	2060	602	2016	2119	1413	103	60	+20 / +10
	70	744			780		702			1613			
	80	844			880		802			1813			
	90	944			980		902			2013			
	100	1044			1080		1002			2213			

SLIDING SYSTEM	SIZE	S_s	H_s	D_s	S_0^*	H_0^*	O_s	O_w	S_b	H_b	S_z	H_z	$T_{s/w}$	S_c	H_c
In-wall single system for sliding doors	60	644	2030	40	670	2065	609	2018	664	2040	793	2110	+10 / +5	1355	2128
	70	744			770		709		764		893			1555	
	80	844			870		809		864		993			1755	
	90	944			970		909		964		1093			1955	
	100	1044			1070		1009		1064		1193			2155	
In-wall double system for sliding doors	60 X 60	644	2030	40	1290	2065	1234	2018	1278	2088	1418	2110	+10 / +5	2613	2128
	70 X 70	744			1490		1434		1478		1618			3013	
	80 X 80	844			1690		1634		1678		1818			3413	
	90 X 90	944			1890		1834		1878		2018			3813	
	100 X 100	1044			2090		2034		2078		2218			4213	

* for VERTE in-wall sliding door system sizes S_0 and H_0 mean size of wall opening without metal casing

ASSEMBLY DIMENSIONS OF DOORS

VERTE FORES AND VERTE STRONGER



KEY OF DIMENSIONS SIGNS

- S_s – total leaf width, including rebates
- H_s – total leaf height, including rebate
- D_s – thickness of door leaf
- S_0 – width of wall opening ready for door frame setting
- H_0 – height of wall opening ready for door frame setting, measured from the finished floor level
- O_s – clear width of the door frame
- O_w – clear height of the door frame
- S_b – width of door frame, door trims excluded
- H_b – height of door frame, door trims excluded
- S_z – total width of door frame, including door trims
- H_z – total height of door frame, including door trims
- H_c – height of wall opening ready for built-in cassette (measured from the finished floor level)
- M_s – width of sliding door masking system
- M_G – thickness of sliding door masking system
- B_G – thickness of sliding door fender beam
- $T_{s/w}$ – permissible tolerance from width/height of wall opening
- S_c – width of wall opening ready for built-in cassette

All dimensions – in millimeters [mm] and in accordance with the Polish Standard (PN)

TYPE OF DOOR FRAME	SIZE	S_s	H_s	D_s	S_0	H_0	O_s	O_w	S_b	H_b	S_z	H_z	$T_{s/w}$
STRONGER	80	844	2030	48	875	2055	796	2016*	856	2046	906	2071	5 \pm / 0 \pm
	90	952			985		904		964		1014		
	100	1044			1075		996		1056		1106		
FORES with metal door frame	80	844	2030	40	875	2055	796	2016*	856	2046	906	2071	5 \pm / 0 \pm
	90	952			985		904		964		1014		
	100	1044			1075		996		1056		1106		
FORES with MDF door frame	80	844	2030	40	910	2075	802	2016	890	2060	1000	2115	5 \pm / 0 \pm
	90	952			1020		910		998		1109		
	100	1044			1110		1002		1090		1200		


* using a metal threshold decrease given size of 16 mm

DOOR OPENING DIRECTION

SINGLE DOORS

left handed doors



right handed doors



DOUBLE DOORS (ACTIVE + PASSIVE DOOR LEAF)

Left handed doors =
left active + right passive




Right handed doors =
right active + left passive



NOTE: when buying universal door in SMART system you have a choice to assembly as left or right

COLOR SAMPLES


LACQUERED BOARD




LACQUERED BOARD



DECOR VENEER





SUPER MATT VENEER



Any information provided in the catalogue shall not be considered an offer as understood by the regulations of the Civil Code. Porta KMI Poland Sp. z o.o. S.K. reserves the right to change technical parameters, fittings, extended warranty conditions and product specifications without prior notification. Information contained herein is considered valid as of the day of publication.
NOTE! Sample colors may slightly differ from the actual veneers because of printing technique.




COLOR SAMPLES

CORTEX VENEER





SYNCHRO 3D VENEER

TRENDS 2015



PERFECT 3D VENEER

TRENDS 2015



DUR VENEER









COLOR SAMPLES

HIGH QUALITY PVC VENEER



HIGH QUALITY CPL VENEER



LOOK FOR
PRODUCTS WITH
**SUPERIOR QUALITY
MARKING**



i manufacturer
identification placed
below the door leaf lock



5 YEAR*
WARRANTY

36 MONTHS
FOR DOOR LEAVES AND DOOR FRAMES

**+ ADDITIONAL
24 MONTHS**

WHEN USING AUTHORIZED ASSEMBLY
GROUPS



DETAILED TERMS AND CONDITIONS

AVAILABLE AT:

WWW.VERTEDRZWI.EU/REGULAMIN5LAT.PDF

IF YOU ARE LOOKING FOR:

- ☐ HIGH QUALITY DOORS
- ☐ INNOVATIVE DESIGN
- ☐ PRODUCTS WITH CERTIFICATES AND TECHNICAL APPROVALS
- ☐ DEPENDABLE INVESTMENT SOLUTIONS
- ☐ EXTENSIVE DISTRIBUTION NETWORK IN POLAND AND IN EUROPE
- ☐ PROFESSIONAL AFTER-SALES SERVICE

YOU WILL FIND IT ALL IN THE VERTE OFFER

* excluding Verte BASIC



Porta KMI Poland Spółka z ograniczoną odpowiedzialnością Spółka komandytowa
Szkolna 54, 84-239 Bolszewo, Poland, phone: +48 58 677 81 00, fax: +48 58 677 81 99
www.vertedoors.com